

| レベル1<br>工事区分 | レベル2<br>工種 | レベル3<br>種別 | レベル4<br>細別 | レベル5<br>規格     | レベル6<br>積算要素  | 単位 | 当初数量  |       | 変更数量 |      | 摘要                                        |
|--------------|------------|------------|------------|----------------|---------------|----|-------|-------|------|------|-------------------------------------------|
|              |            |            |            |                |               |    | 計算数量  | 計上数量  | 計算数量 | 計上数量 |                                           |
| 築堤・護岸        |            |            |            |                |               | 式  |       | 1     |      |      |                                           |
|              | 河川土工       |            |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            | 掘削工        |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 掘削         |                |               | m3 | 16.5  | 20    |      |      |                                           |
|              |            |            |            | CB210100       | 掘削            | m3 | 16.5  | 17    |      |      | 上記以外(小規模)                                 |
|              |            |            |            | CB210070       | 掘削補助機械搬入搬出    | 回  | 1     | 1     |      |      |                                           |
|              |            | 残土処理工      |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 整地         |                |               | m3 | 426.6 | 430   |      |      |                                           |
|              |            |            |            | CB210610       | 整地            | m3 | 426.6 | 427   |      |      |                                           |
|              |            |            | 土砂等運搬      |                |               | m3 | 426.6 | 430   |      |      |                                           |
|              |            |            |            | CB210110       | 土砂等運搬         | m3 | 426.6 | 427   |      |      | 標準,DID区間 無, 4.0km以下                       |
|              |            |            |            |                | 建設発生土受入費      | m3 | 426.6 | 427   |      |      |                                           |
|              | 下部工補修      |            |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            | 特殊袋体間詰工    |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 特殊袋体       | A1・A2橋台下       |               | 式  | 1     | 1     |      |      |                                           |
|              |            |            |            |                | 特殊袋体材料費       | 式  | 1     | 1     |      |      | A1側 41.65m2、A2側 3.67m2                    |
|              |            |            |            |                | 特殊袋体設置        | 式  | 1     | 1     |      |      | A1・A2 6.2m3                               |
|              | 護床工        |            |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            | 捨石工        |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 捨石         | 割栗石5～15cm      |               | m3 | 28.3  | 30    |      |      |                                           |
|              |            |            |            | CB210020       | 積込(ルーズ)       | m3 | 28.3  | 28    |      |      | 小規模(標準以外)                                 |
|              |            |            |            |                | 割ぐり石          | m3 | 34.0  | 34    |      |      | 5～15cm                                    |
|              |            |            | 表面均し       |                |               | m2 | 93.0  | 90    |      |      |                                           |
|              |            |            |            | CB210080       | 基面整正          | m2 | 93.0  | 93    |      |      |                                           |
|              |            |            | 吸出し防止材     |                |               | m2 | 93.0  | 93    |      |      |                                           |
|              |            |            |            | CB224720       | 吸出し防止材設置      | m2 | 93.0  | 93.0  |      |      |                                           |
|              |            | 袋型根固工      |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 袋型根固工      | 1.05×1.05×0.40 |               | 基  | 41    | 41    |      |      |                                           |
|              |            |            |            |                | 袋型根固め工        | 基  | 41    | 41    |      |      | 1.05×1.05×0.40                            |
|              |            | 特殊袋体間詰工    |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 特殊袋体       | 護床工間詰          |               | 式  | 1     | 1     |      |      |                                           |
|              |            |            |            |                | 特殊袋体材料費       | 式  | 1     | 1     |      |      | 護床工間詰① 1.59m2、護床工間詰② 7.35m2、護床工間詰③ 8.73m2 |
|              |            |            |            |                | 特殊袋体設置        | 式  | 1     | 1     |      |      | 護床工間詰 2.4m3                               |
|              |            | 繊維製かごマット   |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 繊維製かごマット工  | 割栗石5～15cm      |               | 基  | 8     | 8     |      |      |                                           |
|              |            |            |            |                | 繊維製かごマット製作・据付 | 基  | 8     | 8     |      |      | 割栗石5～15cm                                 |
|              |            | 沈床工        |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | 袋詰玉石       | 割栗石5～15cm      |               | 袋  | 17    | 17    |      |      |                                           |
|              |            |            |            | CB322430       | 袋詰玉石          | 袋  | 17    | 17    |      |      | 1t用                                       |
|              | 仮設工        |            |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            | 作業ヤード整備工   |            |                |               | 式  |       | 1     |      |      |                                           |
|              |            |            | ヤード造成      |                |               | m3 | 652.2 | 650   |      |      |                                           |
|              |            |            |            | CB210510       | 路体(築堤)盛土      | m3 | 652.2 | 652   |      |      | 施工幅員 4.0m以上                               |
|              |            |            |            | CB210550       | 土材料           | m3 | 441.7 | 442   |      |      |                                           |
|              |            |            | 敷鉄板        |                |               | m2 | 343.9 | 344   |      |      |                                           |
|              |            |            |            |                | 敷鉄板設置・撤去      | m2 | 343.9 | 343.9 |      |      |                                           |
|              |            |            |            |                | 敷鉄板賃料         | 枚  | 18    | 18    |      |      | 22×1524×6096 36日                          |

[illegible]

## 2. 土工数量計算書

## 2. 土工数量集計表

[illegible]

# 数量計算書

[illegible]

# 積 計 算 書

本線河道

| 測 点            | 距 離    | 掘 削 |       |      | 捨石工 |       |      | 表面均し・吸出し防止材 |      |      | 備 考 |
|----------------|--------|-----|-------|------|-----|-------|------|-------------|------|------|-----|
|                |        | 断面積 | 平均断面積 | 立積   | 断面積 | 平均断面積 | 立積   | 長さ          | 平均長さ | 面積   |     |
| NO. 0 - 11.571 | —      | 3.4 | —     | —    | 0.0 | —     | —    | 5.8         | —    | —    |     |
| NO. 0 - 5.366  | 6.205  | 0.2 | 1.80  | 11.2 | 1.5 | 0.75  | 4.7  | 5.9         | 5.85 | 36.3 |     |
| NO. 0 - 3.620  | 1.746  | 0.0 | 0.10  | 0.2  | 1.5 | 1.50  | 2.6  | 5.9         | 5.90 | 10.3 |     |
| NO. 0 - 3.620  | 0.000  | 0.0 | 0.00  | 0.0  | 2.1 | 1.80  | 0.0  | 3.5         | 4.70 | 0.0  |     |
| NO. 0 0.000    | 3.620  | 0.0 | 0.00  | 0.0  | 1.9 | 2.00  | 7.2  | 3.2         | 3.35 | 12.1 |     |
| NO. 0 + 3.620  | 3.620  | 0.0 | 0.00  | 0.0  | 1.9 | 1.90  | 6.9  | 3.2         | 3.20 | 11.6 |     |
| NO. 0 + 3.620  | 0.000  | 0.0 | 0.00  | 0.0  | 2.3 | 2.10  | 0.0  | 3.4         | 3.30 | 0.0  |     |
| NO. 0 + 9.589  | 5.969  | 1.7 | 0.85  | 5.1  | 0.0 | 1.15  | 6.9  | 4.2         | 3.80 | 22.7 |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
|                |        |     |       |      |     |       |      |             |      |      |     |
| 合 計            | 21.160 |     |       | 16.5 |     |       | 28.3 |             |      | 93.0 |     |

### 3. 護床工計算書

### 3. 下部工補修・護床工数量集計表

[illegible]

# 数 量 計 算 書

| 工 種     | 護床工    |                                  | (1式当り)               |
|---------|--------|----------------------------------|----------------------|
| 種別・細別   | 規 格    | 算 定 式                            | 数 量                  |
| 下部工補修   |        |                                  |                      |
|         |        |                                  |                      |
| 特殊袋体間詰工 | 橋台下    |                                  |                      |
|         | 特殊袋体   | A1橋台側                            |                      |
|         |        | A= 41.65 = 41.65                 | 41.65 m <sup>2</sup> |
|         |        | A2橋台側                            |                      |
|         |        | A= 3.67 = 3.67                   | 3.67 m <sup>2</sup>  |
|         |        |                                  |                      |
|         | コンクリート | 24-21-20                         |                      |
|         |        | A1 7.24*1.52/2*0.98 = 5.39       |                      |
|         |        | A2 1.00*1.27/2*0.22 = 0.14       |                      |
|         |        | ロス率12% = 6.19                    | 6.2 m <sup>3</sup>   |
| 護床工     |        |                                  |                      |
| 袋型根固工   |        |                                  |                      |
|         | 袋型根固工  | 1.05×1.05×0.40                   |                      |
|         |        | N= 護床工配置計画詳細図より = 41.00          | 41.0 基               |
|         |        |                                  |                      |
|         | コンクリート | 24-21-20                         |                      |
|         |        | 1.05*1.05*0.40*41 = 18.08        |                      |
|         |        | ロス率4% = 18.80                    | 18.8 m <sup>3</sup>  |
|         |        |                                  |                      |
| 護床工間詰   | 特殊袋体   | ①                                |                      |
|         |        | A= 1.59 = 1.59                   |                      |
|         |        | ②                                |                      |
|         |        | A= 7.35 = 7.35                   |                      |
|         |        | ③                                |                      |
|         |        | A= 8.73 = 8.73                   |                      |
|         |        | 合計 = 17.67                       | 17.67 m <sup>2</sup> |
|         |        |                                  |                      |
|         | コンクリート | 24-21-20                         |                      |
|         |        | ① 0.17*0.59 = 0.10               |                      |
|         |        | ② 1.03*(0.59+0.98+0.94)/3 = 0.86 |                      |
|         |        | ③ 3.02*0.4 = 1.21                |                      |
|         |        | ロス率12% = 2.43                    | 2.4 m <sup>3</sup>   |
|         |        |                                  |                      |

# 数量計算書

[illegible]

## 4. 仮設工数量計算書

#### 4. 仮設工数量集計表

[illegible]

# 数量計算書

[illegible]

# 数量計算書

[illegible]

# 積 計 算 書

仮設ヤード

[illegible]